# IRB PRODUCT PERFORMANCE REVIEW

PM: 10 03-12-93

65233-1 MRID: NA

Treo DP: D188029

Primavera Products

#### FORMULATION

Oil of Citronella.....0.05%

RTU Lotion

## INTRODUCTION

Application for amended registration. Request to remove label qualifiers regarding duration of effectiveness for mosquitoes. See prior reviews of 5/4 and 12/18/92.

#### USES

See label copy. Applicant wishes to delete label restriction stating up to 1 hour repellency, and wishes to add the claim long lasting protection.

#### SUBMITTED DATA

- 1. Scott Carroll, Davis, CA. Original MRID 425072-02. No MRID on the additional information faxxed in from Washington DC attornies. Field tests in Sutter County, CA. <u>Culex tarsalis</u> and <u>Anopheles freeborni</u>. Deep Woods Off positive control. Calves of subjects treated with either 5cc of TREO or 3 Second Spray of Off. Other leg untreated. The first confirmed bite for all controls is stated to be less than 3 min.
- 4 subjects. 1 trial using all 4 individuals. 12 additional trials using 2 individuals. Round-robin trade-off of test materials. See attached table of results. Overall summary as follows:

Protection Times- First Confirmed Bite

	An. f	<u>reeborni</u>	<u>C. tarsalis</u>	
<u>Subject</u>	Treo	DW Off	Treo	DW Off
A	101	93	95	126
В	110	122	119	99
C	94	101	121	104
D	103	109	130	132
Average	102	106	116	115

Data in previous reviews encompass 11 trials in TX, FL, and UT. These trials utilized Treo applied at 0.125 oz. (3.5 cc) to forearms. The present study utilized 5cc of product per calf. The amount of material used is 40% more, but calves are usually larger than forearms. We cannot equate the doses on a mg/cm2 basis. The average protection time in the previous 11 studies was 1.2 hours. The average protection time in the current submission was about 1.8 hours.

### CONCLUSIONS

1. The data indicate that the product will last longer if more is applied to the skin. We would have no objection to removal of the duration statement with the following additional wording, or something similar to it:

"For longer lasting protection apply a heavier initial dose of Treo to exposed skin"

Phil Hutton

	Minu af	ites t treo	o fir	st co	nfirmed Bite ct treo			
subject				subject	subject			
date 8-16 8-18	a 74 133	b 144 119	c 107	d 82	date a b c 8-16 77 156 190 8-18 121 68	d 135		
8-21 8-22 8-27	94 121	43	36	110	8-21 88 110 8-22 140 8-27 98 106	117		
8-28 8-31	90	61	117	78	8-28 140 8-31 38 178 9-1 134 148	149		
9-1 9-2 9-6	82	101	79 75	99 82	9-2 104 9-6 115	137 101		
9-7 9-11 9-15	111	138	126 118	100 168	9-7 112 67 9-11 39 9-15	141		
avg overal	101 1 102	110	94	103	avg 95 119 121 overall 116	130		
	af	DWO			ct DWO			
subject				subject	subject			
date 8-16 8-18 8-21	a 80 38 185		c 135	d 93	date a b c 8-16 119 98 41 8-18 76 41 8-21 127 126	d 130		
8-22 8-27 8-28	82	98	51 106	127 111	8-22 115 8-27 137 93 8-28 82	100 66		
8-31 9-1 9-2	101 69	162 114		102	8-31 165 105 9-1 84 134 9-2 103	129		
9-2 9-6 9-7 9-11	93	128	96 87	108	9-6 157 9-7 172 96 9-11 125	195 169		
9-11			97		9-15 insufficient p			
avg overal	93 1 106	122	101	109	avg 126 99 104 overall 115	132		